

Stranger Things (Limited Edition)

Installation

Please remove the following parts

- 1. Slingshots inclusive rubbers
- 2. Flippers
- 3. Outlane Plastics
- 4. Left and right lower ramps



5. Gate at the end of the shooter lane



PLAYFIELD PROTECTORS FULL PROTECTION FOR YOUR PINBALL MACHINE

6. Right ramp – please don't forget to unplug the cable, three of them go through the backboard

Tip: Sometimes it is much easier uninstall the optos or switch at the ramp than handling the cables.

7. Steel ramp



8. Left ramp

9. Backboard

Tipp:

Please uninstall both optos and all screws of the left ramp. The ramp is connected to the backboard. The most easy way to unattach it, is to loosen the three screws under the playfield and each of two screws on the backboard (left and right). When done put the backboard with the still connected ramp back in the cabinet.



PLAYFIELD PROTECTORS

FULL PROTECTION FOR YOUR PINBALL MACHINE

Now it is time to remove the middle ramp/canvas. Remove two screws on left and on the right side. For the gate it is one small screw at the plastic and a nut at the gate. There is also one screw on the moveable ramp/canvas. Please do not forget to unplug the cables under the playfield.





10. Remove Gate





11. Another two gates to remove (it is okay to just loose it on one side and then push it a bit to the side)



Here we go... that's how it should look like.





FULL PROTECTION FOR YOUR PINBALL MACHINE

Remove the protective foil of the rear side -then put the playfield protector on the playfield. Please thread it carefully under the spinne runder the left side and please even more carefully over the Demogorgon.





The drop target has the be adjust to level it with the installed protector. In order the do that please use the marked screws at the target bank.





FULL PROTECTION FOR YOUR PINBALL MACHINE

After this install all removed parts. Now remove the protection foil of the upper side The playfield protector should be slightly movable in all directions even after all parts are installed again. He may not be stucked any where. If so, please use a sharp scissors to free him up.

